This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
□ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	7	framework\$1 and ((application adj layer) with asynchronous)	USPAT; US-PGPUB;	2004/08/19 11:28
		with abynomionous,	EPO; JPO;	11.20
			DERWENT;	
2	0	 framework\$1 and ((application adj layer)	IBM_TDB USPAT;	2004/08/19
		with pull)	US-PGPUB;	11:28
			EPO; JPO;	
			DERWENT; IBM TDB	
3	5		USPAT;	2004/08/19
		same pull)	US-PGPUB; EPO; JPO;	11:30
			DERWENT;	
4	3	formation and //ampliantian add large	IBM_TDB	2004/00/10
4	3	<pre>framework\$1 and ((application adj layer) with push)</pre>	USPAT; US-PGPUB;	2004/08/19
-			EPO; JPO;	
			DERWENT; IBM TDB	
5	4	(framework\$1 with pull) and (application	USPAT;	2004/08/19
		adj layer)	US-PGPUB;	11:32
			EPO; JPO; DERWENT;	
			IBM_TDB	
6	0	(framework\$1 adj layer\$1) and	USPAT;	2004/08/19
		(application adj layer\$1) and (push same pull)	US-PGPUB; EPO; JPO;	11:32
			DERWENT;	
7	87	framework\$1 and (application adj layer\$1)	IBM_TDB USPAT;	2004/08/19
'	0 /	and (push same pull)	US-PGPUB;	11:39
			EPO; JPO;	
			DERWENT; IBM TDB	
8	0	6671745.pn. and ("10" with "100" with kb)	USPAT;	2004/08/19
			US-PGPUB; EPO; JPO;	11:40
			DERWENT;	
		5120074	IBM_TDB	
9	0	6138271.pn. and ("10" with "100" with kb)	USPAT; US-PGPUB;	2004/08/19
			EPO; JPO;	
			DERWENT; IBM TDB	
10	0	6760911.pn. and ("10" with "100" with kb)	USPAT;	2004/08/19
			US-PGPUB;	11:41
			EPO; JPO; DERWENT;	
			IBM_TDB	
11	0	6718548.pn. and ("10" with "100" with kb)	USPAT; US-PGPUB;	2004/08/19
			EPO; JPO;	11.41
			DERWENT;	
12	0	6480891.pn. and ("10" with "100" with kb)	IBM_TDB USPAT;	2004/08/19
		,	US-PGPUB;	11:41
			EPO; JPO; DERWENT;	
			IBM_TDB	
13	1477	"10" with "100" with kb	USPĀT;	2004/08/19
			US-PGPUB; EPO; JPO;	11:42
			DERWENT;	
	<u></u>		IBM_TDB	

7.4		(#10# 1:1 #100# 1:2 xx 1:1		1 0 0 0 4 / 5 - / -
14	567	("10" with "100" with kb\$1) and	USPAT;	2004/08/19
		((portable adj device\$1) (mobile adj device\$1) (handheld adj device) PDA	US-PGPUB;	11:43
		(cell\$4 adj phone\$1) embedded)	EPO; JPO; DERWENT;	
		(Journal Phoneyr) embedded)	IBM TDB	
15	300	("10" with "100" with kb\$1) and	USPAT;	2004/08/19
		((portable adj device\$1) (mobile adj	US-PGPUB;	11:43
		device\$1) (handheld adj device) PDA	EPO; JPO;	
		(cell\$4 adj phone\$1) embedded) and	DERWENT;	
		framework\$!	IBM TDB	
16	300	("10" with "100" with kb\$1) and	USPAT;	2004/08/19
		((portable adj device\$1) (mobile adj	US-PGPUB;	11:44
		device\$1) (handheld adj device) PDA	EPO; JPO;	
		(cell\$4 adj phone\$1) embedded) and	DERWENT;	
1.7	1	framework\$1	IBM_TDB	0004/00/10
17	1	(("10" with "100" with kb\$1) and ((portable adj device\$1) (mobile adj	USPAT;	2004/08/19
		(\portable adj device;) \text{(mobile adj} device;) PDA	US-PGPUB;	11:44
		(cell\$4 adj phone\$1) embedded) and	EPO; JPO; DERWENT;	
		framework\$1) and 717/\$.ccls.	IBM TDB	
18	1	(("10" with "100" with kb\$1) and	USPAT;	2004/08/19
		((portable adj device\$1) (mobile adj	US-PGPUB;	11:45
		device\$1) (handheld adj device) PDA	EPO; JPO;	
		(cell\$4 adj phone\$1) embedded) and	DERWENT;	
		framework\$1) and 719/\$.ccls.	IBM_TDB	
19	10	(("10" with "100" with kb\$1) and	USPAT;	2004/08/19
		((portable adj device\$1) (mobile adj	US-PGPUB;	11:47
		device\$1) (handheld adj device) PDA	EPO; JPO;	
		(cell\$4 adj phone\$1) embedded) and	DERWENT;	
20	0	framework\$1) and 709/\$.ccls.	IBM_TDB	2004/09/10
۷.	1	6480891.pn. and ("100" near3 kb\$1)	USPAT; US-PGPUB;	2004/08/19
			EPO; JPO;	11:4/
			DERWENT;	
			IBM TDB	
21	2	6480891.pn.	USPAT;	2004/08/19
		-	US-PGPUB;	11:50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	40	((customiz\$3 generat\$3 creat\$3) with	USPAT;	2004/08/18
		((media multi\$1media) adj2 framework\$1))	US-PGPUB;	17:05
			EPO; JPO;	
			DERWENT; IBM TDB	
_	31	((customiz\$3 generat\$3 creat\$3) with	USPAT;	2004/07/22
]	((customiz33 generat33 cleat33) with framework\$1) same ((portable adj	US-PGPUB;	15:47
		device\$1) (mobile adj device\$1) (handheld	EPO; JPO;	10.1/
		adj device) PDA (cell\$4 adj phone\$1))	DERWENT;	
			IBM TDB	
~	815	((customiz\$3 generat\$3 creat\$3) with	USPAT;	2004/07/22
		<pre>framework\$1) and ((portable adj device\$1)</pre>	US-PGPUB;	16:29
		(mobile adj device\$1) (handheld adj	EPO; JPO;	
		device) PDA (cell\$4 adj phone\$1))	DERWENT;	
			IBM_TDB	0004/05/55
_	660	(((customiz\$3 generat\$3 creat\$3) with	USPAT;	2004/07/22
		framework\$1) and ((portable adj device\$1) (mobile adj device\$1) (handheld adj	US-PGPUB;	15:48
		(mobile adj device;) (nandheid adj device) PDA (cell\$4 adj phone\$1))) and	EPO; JPO; DERWENT;	
		(API\$1 interface\$1) and protocol\$1	IBM TDB	
	369	((((customiz\$3 generat\$3 creat\$3) with	USPAT;	2004/07/22
		framework\$1) and ((portable adj device\$1)	US-PGPUB;	15:48
		(mobile adj device\$1) (handheld adj	EPO; JPO;	
		device) PDA (cell\$4 adj phone\$1))) and	DERWENT;	
		(API\$1 interface\$1) and protocol\$1) and	IBM_TDB	
		multi\$1media		

- 65 (((((customiz\$3 generat\$3 creat\$3) with framework\$1) and ((portable adj device\$1) US-PGPUB; 16:30 (mobile adj device\$1) (handheld adj EPO; JPO; device) PDA (cell\$4 adj phone\$1)) and DERWENT; (API\$1 interface\$1) and protocol\$1) and multi\$1media) and (application adj2 layer\$1) ((((customiz\$3 generat\$3 creat\$3) with framework\$1) and ((portable adj device\$1) US-PGPUB; (mobile adj device\$1) (handheld adj (mobile adj device\$1) (handheld adj (API\$1 interface\$1) and protocol\$1) and (API\$1 interface\$1) and protocol\$1) and multi\$1media) and synchronous and asynchronous ((customiz\$3 generat\$3 creat\$3) with USPAT; 2004/07/22	
- 61 (((((customiz\$3 generat\$3 creat\$3) with framework\$1) and ((portable adj device\$1) US-PGPUB; (mobile adj device\$1) (handheld adj EPO; JPO; device) PDA (cell\$4 adj phone\$1))) and DERWENT; (API\$1 interface\$1) and protocol\$1) and multi\$1media) and synchronous and asynchronous - 33 ((customiz\$3 generat\$3 creat\$3) with USPAT; 2004/07/22	
- 33 ((customiz\$3 generat\$3 creat\$3) with USPAT; 2004/07/22	
framework\$1).ab. and ((portable adj device\$1) (mobile adj device\$1) (handheld device\$1) (because device\$1) (
- 11 (((((customiz\$3 generat\$3 creat\$3) with	
- 15 (((((customiz\$3 generat\$3 creat\$3) with framework\$1) and ((portable adj device\$1) US-PGPUB; (mobile adj device\$1) (handheld adj EPO; JPO; device) PDA (cell\$4 adj phone\$1))) and DERWENT; (API\$1 interface\$1) and protocol\$1) and IBM_TDB multi\$1media) and 719/\$.ccls.	
- 304 ((customiz\$3 generat\$3 creat\$3) with USPAT; 2004/07/22 framework\$1) and 719/\$.ccls. US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
- 15 (((customiz\$3 generat\$3 creat\$3) with framework\$1) and 719/\$.ccls.) and (master near3 slave) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
- 10 (((customiz\$3 generat\$3 creat\$3) with USPAT; 2004/07/22 framework\$1) and 719/\$.ccls.) and (set\$4 US-PGPUB; and (set\$4 with (synchronous asynchronous)) EPO; JPO; DERWENT; IBM TDB	
93 (((customiz\$3 generat\$3 creat\$3) with framework\$1) and 719/\$.ccls.) and US-PGPUB; (synchronous asynchronous) EPO; JPO; DERWENT; IBM TDB	
- 338 ((customiz\$3 generat\$3 creat\$3) with USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
- 90 (((customiz\$3 generat\$3 creat\$3) with framework\$1) and 717/\$.ccls.) and US-PGPUB; 17:15 (synchronous asynchronous) EPO; JPO; DERWENT; IBM TDB	
- 6222 (((customiz\$3 generat\$3 creat\$3 reduc\$3) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
- 23 ((((customiz\$3 generat\$3 creat\$3 reduc\$3) USPAT; 2004/07/23 near5 framework\$1) with framework\$1)) and US-PGPUB; 11:26 (framework\$1 with ((portable adj EPO; JPO; device\$1) (mobile adj device\$1) PDA\$1 DERWENT; (cell\$6 adj phone\$1)))	

		1 / / / /		
_	57		USPAT;	2004/07/23
		near5 framework\$1) with framework\$1)) and	US-PGPUB;	11:26
		(framework\$1 same ((portable adj	EPO; JPO;	
		device\$1) (mobile adj device\$1) PDA\$1	DERWENT;	
		(cell\$6 adj phone\$1)))	IBM TDB	
~	1035	((customiz\$3 generat\$3 creat\$3 reduc\$3)	USPAT;	2004/07/23
		near5 framework\$1).ab.	US-PGPUB;	13:16
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	1
-	56	(((customiz\$3 generat\$3 creat\$3 reduc\$3)	USPAT;	2004/07/23
		near5 framework\$1).ab.) and (set\$4 near5	US-PGPUB;	13:17
		(API\$1 parameter\$1 component\$1))	EPO; JPO;	13.17
		(111141 parameter of componency 1)	DERWENT;	
			IBM TDB	
_	2	6691151.pn.	USPAT;	2004/08/18
		0031131.pm.		
			US-PGPUB;	15:32
			EPO; JPO;	
			DERWENT;	
		600,6000	IBM_TDB	
1 -	2	6006279.pn.	USPAT;	2004/08/18
			US-PGPUB;	15:36
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6356957.pn.	USPAT;	2004/08/18
			US-PGPUB;	15:38
			EPO; JPO;	
			DERWENT;	
			IBM TDB	1
_	2	20010037408.pn.	USPAT;	2004/08/18
		<u>, , , , , , , , , , , , , , , , , , , </u>	US-PGPUB;	15:38
			EPO; JPO;	10.00
			DERWENT;	·
			IBM TDB	
_	107	((reduc\$3 minim\$5) with (OS (operating	USPAT;	2004/08/18
	107	adj system))) same ((portable adj	US-PGPUB;	15:52
	:	device\$1) (mobile adj device\$1) (handheld	EPO; JPO;	13.32
		adj device) PDA (cell\$4 adj phone\$1))	DERWENT;	
		adj device, FDA (celiff adj phonesi)		
_	769	//roduced minimes with /os /onenations	IBM_TDB	2004/00/10
	709	((reduc\$3 minim\$5) with (OS (operating	USPAT;	2004/08/18
		adj system) framework\$1 (virtual adj machine\$1) application\$1)) same	US-PGPUB;	15:53
]		EPO; JPO;	
		((portable adj device\$1) (mobile adj	DERWENT;	
		device\$1) (handheld adj device) PDA	IBM_TDB	
	01.5	(cell\$4 adj phone\$1))		
_	916	((reduc\$3 minim\$5) near6 (framework\$1	USPAT;	2004/08/18
		(virtual adj machine\$1) application\$1))	US-PGPUB;	15:54
		same ((portable adj device\$1) (mobile adj	EPO; JPO;	
		device\$1) (handheld adj device) PDA	DERWENT;	
		(cell\$4 adj phone\$1) embedded)	IBM_TDB	
-	582	((reduc\$3 minim\$5) near4 (framework\$1	USPAT;	2004/08/18
		<pre>(virtual adj machine\$1) application\$1))</pre>	US-PGPUB;	15:54
		same ((portable adj device\$1) (mobile adj	EPO; JPO;	
		device\$1) (handheld adj device) PDA	DERWENT;	
		(cell\$4 adj phone\$1) embedded)	IBM TDB	
	51	((reduc\$3 minim\$5) near4 (framework\$1	USPAT;	2004/08/18
		<pre>(virtual adj machine\$1) application\$1)</pre>	US-PGPUB;	15:56
		with size) same ((portable adj device\$1)	EPO; JPO;	
		(mobile adj device\$1) (handheld adj	DERWENT;	
1		device) PDA (cell\$4 adj phone\$1)	IBM TDB	
[embedded)	*21.11.10	
_	35019	(framework\$1 (virtual adj machine\$1)	USPAT;	2004/08/18
	55019	application\$1 OS (operating adj system))	US-PGPUB;	15:56
		with ((portable adj device\$1) (mobile adj	EPO; JPO;	13.36
		device\$1) (handheld adj device) PDA		
		(cell\$4 adj phone\$1) embedded)	DERWENT;	
	1	(cerrag and buonear) empended)	IBM TDB	I

-	3429	(creat\$3 generat\$3 reduc\$3 customiz\$3)	USPAT;	2004/08/18
		with (framework\$1 (virtual adj machine\$1) application\$1 OS (operating adj system))	US-PGPUB;	16:02
		application; i os (operating adj system); with ((portable adj device; 1) (mobile adj	EPO; JPO; DERWENT;	
	*	device\$1) (handheld adj device) PDA	IBM_TDB	
		(cell\$4 adj phone\$1) embedded)	1511_155	
_	370	((creat\$3 generat\$3 reduc\$3 customiz\$3)	USPAT;	2004/08/18
		with (framework\$1 (virtual adj machine\$1)	US-PGPUB;	16:03
		application \$1 OS (operating adj system))	EPO; JPO;	
		with ((portable adj device\$1) (mobile adj	DERWENT;	
		device\$1) (handheld adj device) PDA	IBM TDB	
		(cell\$4 adj phone\$1) embedded)) and	_	
		((reduc\$3 minimiz\$3) near4 size)		
-	19	(((creat\$3 generat\$3 reduc\$3 customiz\$3)	USPAT;	2004/08/18
		with (framework\$1 (virtual adj machine\$1)	US-PGPUB;	16:03
		application \$1 OS (operating adj system))	EPO; JPO;	
		with ((portable adj device\$1) (mobile adj	DERWENT;	
		device\$1) (handheld adj device) PDA	IBM_TDB `	
		(cell\$4 adj phone\$1) embedded)) and ((reduc\$3 minimiz\$3) near4 size)) and		
		719/\$.ccls.		
_	1	"6636897".PN.	USPAT	2004/08/18
				16:07
	1	"6505214".PN.	USPAT	2004/08/18
				16:07
-	1	"6442570".PN.	USPAT	2004/08/18
				16:07
-	1	"6430576".PN.	USPAT	2004/08/18
				16:07
_	1	"6324544".PN.	USPAT	2004/08/18
				16:08
_	43	(((creat\$3 generat\$3 reduc\$3 customiz\$3)	USPAT;	2004/08/18
		with (framework\$1 (virtual adj machine\$1)	US-PGPUB;	16:11
		application \$1 OS (operating adj system))	EPO; JPO;	
		with ((portable adj device\$1) (mobile adj device\$1) (handheld adj device) PDA	DERWENT;	
		(cell\$4 adj phone\$1) embedded)) and	IBM_TDB	
		((reduc\$3 minimiz\$3) near4 size)) and		
		709/\$.ccls.		
_	24	(((creat\$3 generat\$3 reduc\$3 customiz\$3)	USPAT;	2004/08/18
		with (framework\$1 (virtual adj machine\$1)	US-PGPUB;	16:14
		application \$1 OS (operating adj system))	EPO; JPO;	
		with ((portable adj device\$1) (mobile adj	DERWENT;	
		device\$1) (handheld adj device) PDA	IBM_TDB	
		(cell\$4 adj phone\$1) embedded)) and		
		((reduc\$3 minimiz\$3) near4 size)) and		
		717/\$.ccls.		0004/00/55
	6	((framework adj2 layer\$1) same	USPAT;	2004/08/18
		(application adj layer\$1)) and synch\$6	US-PGPUB;	17:16
		and asynch\$6	EPO; JPO;	
			DERWENT; IBM TDB	
_	5	((framework adj2 layer\$1) same	USPAT;	2004/08/18
		((liamework adj2 layer)) same (application adj layer\$1)) and ((portable	US-PGPUB;	17:16
		adj device\$1) (mobile adj device\$1)	EPO; JPO;	1,.10
		(hand\$1held adj device) PDA (cell\$4 adj	DERWENT;	
		phone\$1) embedded)	IBM TDB	
-	0	((framework adj2 layer\$1) same	USPAT;	2004/08/18
		(application adj layer\$1)) and push and	US-PGPUB;	17:16
		pull	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14512	framework\$1 and (application\$1 program\$1)	USPAT;	2004/08/18
		and ((portable adj device\$1) (mobile adj	US-PGPUB;	17:17
		device\$1) (hand\$1held adj device) PDA	EPO; JPO;	
		(cell\$4 adj phone\$1) embedded)	DERWENT;	
			IBM_TDB	1.

<u> </u>	54	((framework\$1 and (application\$1	USPAT;	2004/08/18
	.	program\$1) and ((portable adj device\$1)	US-PGPUB;	17:19
		(mobile adj device\$1) (hand\$1held adj	EPO; JPO;	17.19
		device) PDA (cell\$4 adj phone\$1)	DERWENT;	
		embedded)) and (synch\$6 adj5 asynch\$6))	IBM TDB	
		and (master adj1 slave)	TBH_TDB	
_	419		USPAT:	2004/08/18
	4.13	program\$1) and ((portable adj device\$1)	US-PGPUB;	17:53
		(mobile adj device\$1) (hand\$1held adj		17:55
		device) PDA (cell\$4 adj phone\$1)	EPO; JPO;	
			DERWENT;	
	38	embedded)) and (synch\$6 adj5 asynch\$6)	IBM_TDB	0004/00/10
_	36	((framework\$1 and (application\$1	USPAT;	2004/08/18
		<pre>program\$1) and ((portable adj device\$1)</pre>	US-PGPUB;	17:54
		(mobile adj device\$1) (hand\$1held adj	EPO; JPO;	
		device) PDA (cell\$4 adj phone\$1)	DERWENT;	
		embedded)) and (synch\$6 adj5 asynch\$6))	IBM_TDB	
	0.77	and 719/\$.ccls.		
_	37	((framework\$1 and (application\$1	USPAT;	2004/08/18
		<pre>program\$1) and ((portable adj device\$1)</pre>	US-PGPUB;	17:55
		(mobile adj device\$1) (hand\$1held adj	EPO; JPO;	
		device) PDA (cell\$4 adj phone\$1)	DERWENT;	
		embedded)) and (synch\$6 adj5 asynch\$6))	IBM_TDB	
		and 717/\$.ccls.		
~	109	((framework\$1 and (application\$1	USPAT;	2004/08/18
		<pre>program\$1) and ((portable adj device\$1)</pre>	US-PGPUB;	17:57
	1	(mobile adj device\$1) (hand\$1held adj	EPO; JPO;	
		device) PDA (cell\$4 adj phone\$1)	DERWENT;	
		embedded)) and (synch\$6 adj5 asynch\$6))	IBM TDB	
		and 709/\$.ccls.		